

L Number	Hits	Search Text	DB	Time stamp
1	4614	(219/412-414 or 219/483-486 or 219/481 or 219/497 or 219/505 or 219/508 or 374/110 or 374/121 or 392/405 or 392/411 or 364/477 or 364/557 or 435/660 or 435/663 or 29/280.01 or 156/45).ccls.	USPAT	2004/03/18 13:22
2	56	((219/412-414 or 219/483-486 or 219/481 or 219/497 or 219/505 or 219/508 or 374/110 or 374/121 or 392/405 or 392/411 or 364/477 or 364/557 or 435/660 or 435/663 or 29/280.01 or 156/45).ccls.) and (method and estimat\$3 and calibrat\$3)	USPAT	2004/03/18 13:22
3	55	(219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls. and (method and calibrat\$3 and estimat\$3)	USPAT	2004/03/18 13:23
5	2	(((((219/412-414 or 219/483-486 or 219/481 or 219/497 or 219/505 or 219/508 or 374/110 or 374/121 or 392/405 or 392/411 or 364/477 or 364/557 or 435/660 or 435/663 or 29/280.01 or 156/45).ccls.) and (method and estimat\$3 and calibrat\$3)) not ((219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls. and (method and calibrat\$3 and estimat\$3))) and ((film or coat\$3) near8 thickness)	USPAT	2004/03/18 13:24
4	40	(((((219/412-414 or 219/483-486 or 219/481 or 219/497 or 219/505 or 219/508 or 374/110 or 374/121 or 392/405 or 392/411 or 364/477 or 364/557 or 435/660 or 435/663 or 29/280.01 or 156/45).ccls.) and (method and estimat\$3 and calibrat\$3)) not ((219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls. and (method and calibrat\$3 and estimat\$3))) and ((film or coat\$3) near8 thickness)	USPAT	2004/03/18 13:32
6	0	((219/412-414 or 219/483-486 or 219/481 or 219/497 or 219/505 or 219/508 or 374/110 or 374/121 or 392/405 or 392/411 or 364/477 or 364/557 or 435/660 or 435/663 or 29/280.01 or 156/45).ccls.) and (((compar\$3 near8 ((film\$1 or coat\$4) near8 thick\$4)) near8 calibrat\$3) near8 temperature\$1)	USPAT	2004/03/18 13:42

8	1	((219/412-414 or 219/483-486 or 219/481 or 219/497 or 219/505 or 219/508 or 374/110 or 374/121 or 392/405 or 392/411 or 364/477 or 364/557 or 435/660 or 435/663 or 29/280.01 or 156/45).ccls.) and (((compar\$3 same ((film\$1 or coat\$4) same thick\$4)) same calibrat\$3) same temperature\$1)) not (((219/412-414 or 219/483-486 or 219/481 or 219/497 or 219/505 or 219/508 or 374/110 or 374/121 or 392/405 or 392/411 or 364/477 or 364/557 or 435/660 or 435/663 or 29/280.01 or 156/45).ccls.) and (method and estimat\$3 and calibrat\$3))	USPAT	2004/03/18 13:35
7	2	((219/412-414 or 219/483-486 or 219/481 or 219/497 or 219/505 or 219/508 or 374/110 or 374/121 or 392/405 or 392/411 or 364/477 or 364/557 or 435/660 or 435/663 or 29/280.01 or 156/45).ccls.) and (((compar\$3 same ((film\$1 or coat\$4) same thick\$4)) same calibrat\$3) same temperature\$1)	USPAT	2004/03/18 13:42
9	5206	(219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls.	USPAT	2004/03/18 13:41
10	0	((219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls.) and (((compar\$3 near8 ((film\$1 or coat\$4) near8 thick\$4)) near8 calibrat\$3) near8 temperature\$1)	USPAT	2004/03/18 13:42
11	1	((219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls.) and (((compar\$3 same ((film\$1 or coat\$4) same thick\$4)) same calibrat\$3) same temperature\$1)	USPAT	2004/03/18 13:43
-	3	("5517594") or ("5740033") or ("4635182")).PN.	USPAT	2004/03/16 12:58
-	1	("6569099").PN.	USPAT	2004/03/15 13:04
-	1	("5517594").PN.	USPAT	2004/03/16 13:19
-	55	(219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls. and (method and calibrat\$3 and estimat\$3)	USPAT	2004/03/18 13:41
-	8	((219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls. and (method and calibrat\$3 and estimat\$3)) and (film near8 thickness)	USPAT	2004/03/16 13:28

-	3	((219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls. and (method and calibrat\$3 and estimat\$3)) not "8"	USPAT	2004/03/16 13:28
-	47	((219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls. and (method and calibrat\$3 and estimat\$3)) not (((219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls. and (method and calibrat\$3 and estimat\$3)) and (film near8 thickness))	USPAT	2004/03/16 13:28
-	55	(219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls. and (method and calibrat\$3 and estimat\$3)	USPAT	2004/03/18 13:23
-	5206	(219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls.	USPAT	2004/03/16 14:58
-	3	((219/390 or 219/405 or 219/411 or 219/494 or 392/416 or 392/418 or 118/724 or 118/725 or 118/50.1 or 700/207 or 700/209 or 700/210 or 700/211).ccls.) and (temperature near8 estimator)	USPAT	2004/03/16 15:01
-	22	((("4276603") or ("4688180") or ("4711989") or ("4761538") or ("4937434") or ("5099442") or ("5258601") or ("5280422") or ("5291514") or ("5895596") or ("5926615") or ("5991525") or ("5994675") or ("6041172") or ("6167360") or ("6207937") or ("6289508") or ("6441350") or ("6472643") or ("6487696") or ("6577926") or ("6622104"))).PN.	USPAT	2004/03/16 16:33
-	3	((("4635182") or ("5517594") or ("5740033"))).PN.	USPAT	2004/03/16 16:33